




KONICA MINOLTA

# AccurioPrint C3070L

- ▣ Colour SRA3+ digital press
- ▣ Up to 3,823 pages per hour

These first Konica Minolta production systems launched under the new Accurio brand name target small to midsize commercial printers as well as in-house print rooms and Central Reprographic Departments (CRDs). As entry-level **printing systems**, they offer **outstanding new features including scan & print to/from USB Flash, a dual colour high-speed scanner**, and the possibility to manage print jobs directly from the operating panel. CRDs will find it easy to adapt to changing document workflows in the company, enhance their overall productivity, and to extend their range of products and services by offering new, sophisticated print products.



**AccurioPrint**  
C3070L

# YOUR ADVANTAGES WITH AccurioPrint C3070L

## DURABLE PERFORMANCE

- AccurioPrint C3070L
- Up to 71 A4 pages per minute
- Up to 36 SRA3 pages per minute
- Up to 3,823 A4 pages per hour
- Up to 1,951 SRA3 pages per hour
- Enhanced overall scanning performance for scanning and copying
- Features of the hotfolder, printer driver, imposition are enhanced for facilitated use.
- Enhanced work efficiency helps handle short turnaround jobs.

## HIGHEST RELIABILITY

- Long-life platform, long-lasting parts and consumables
- Registration-swing mechanism for accurate duplex registration
- Fusing-rolling mechanism
- For prints with maximum efficiency
- For lucrative short-run printing

## ENHANCED SCANNING PERFORMANCE

- The dual scanner scans documents in one path
- Double sheet detector
- Max. 240 ipm (A4, 300 dpi)
- Scanner capacity of 300 sheets

## READY-MADE PRINT PRODUCTS

- 20-sheet booklet making
- 50-sheet stapling
- For highest automation and enormous productivity
- For more profit in the print room

## GEARED-UP FINISHING

- Letter fold-in
- Stacking of up to 3,000 sheets
- Optional 2- & 4-hole punching
- Minimised human interaction



## ENVIRONMENTALLY SOUND

- Robust and powerful despite the compact, lightweight body with fewer parts
- Reduced power consumption with Simitri® HD E toner
- Industry-leading usage ratio of recycled PC and PET
- For reduced environmental impact
- Improved efficiency based on green values



#### HIGH-END PRINT CONTROL

- Flexible choice of controller technology: EFI® or own Konica Minolta controller
- For intuitive operation
- To save time and money



#### EASE OF USE

- Automatic density balance adjustment
- Open API/IWS support
- Scan & print to USB Flash
- Simple paper catalogue settings

#### SOPHISTICATED MEDIA HANDLING

- New banner tray
- Capable of feeding maximum 1,000 sheets of 762 mm long size in LU-202XLm
- Banner size up to 1,300 x 330 mm
- Envelope printing support
- Banner duplex printing up to 762 x 330mm

#### COMPREHENSIVE MEDIA PROCESSING

- Simplex & duplex printing on paper weights of up to 350 gsm
- Envelope printing support
- Supports a wide range of embossed papers
- For highly flexible print products


#### PERFECT IMAGE QUALITY

- S.E.A.D. IV technology and 1,200 x 1,200 dpi x 8 bit resolution (equivalent to 1,200 x 3,600 dpi)
- Simitri® HD E toner technology
- For new print applications
- For growing business

**Simitri HD<sup>E</sup>**  
THE EVOLUTION OF TECHNOLOGY



## Recommended configurations



## Technical specifications

### SYSTEM SPECIFICATIONS

Resolution	1,200 x 1,200 dpi x 8 bit 1,200 x 3,600 dpi equivalent
Paper weight	62–350 gsm
Duplex unit	Non-stack type; 62–350 gsm
Paper sizes	330 x 762 mm; 330 x 1,200 mm (optional)
Maximum image area	323 x 480 mm
Paper input capacity	Standard: 1,500 sheets Max.: 4,250 sheets
Paper output capacity	Max.: 3,100 sheets
Main unit dimensions (W x D x H)	800 x 903 x 1,076 mm
Main unit weight	316 kg

### PRODUCTIVITY

#### AccurioPrint 3060L

A4 - max. per minute	71 ppm
A3 - max. per minute	39 ppm
SRA3 - max. per minute	36 ppm
A4 - max. per hour	3,823 pph
A3 - max. per hour	2,113 pph
SRA3 - max. per hour	1,951 pph

### CONTROLLER

Internal Konica Minolta Controller	IC-605 A
Internal Fiery Controller	IC-417

### SCANNER SPECIFICATIONS

Scan speed A4	Up to 240 ipm
Scan modes	TWAIN scan; Scan-to-HDD; Scan-to-FTP; Scan-to-SMB; Scan-to-eMail
Scan formats	TIFF (single and multi page); PDF
Scan resolution	600 x 600 dpi

### COPIER SPECIFICATIONS

Gradations	256 gradations
FCOT	Less than 8 sec. (colour A4)
Magnification	25–400%, in 0.1% steps
Multiple copies	1–9,999

### ACCESSORIES

Original cover	OC-511
Automatic document feeder	DF-706
Working table	WT-511
Heating unit for main body trays	HT-511
Heating unit for LU-202m/XL	HT-503
Bypass tray	MB-506
Booklet finisher	FS-612
Staple finisher	FS-531
2/4-hole punch kit for FS-612/531	PK-512
2-hole punch kit for FS-612/531	PK-513
Post inserter for FS-612/531	PI-502
Envelope fuser	EF-103
Banner tray	MK-740
Banner tray for OT-510	MK-740m
Large capacity unit	LU-202m
Large capacity unit	LU-202XLm
High capacity output tray	OT-510
Output tray	OT-511
Envelope feeding kit	MK-746

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4).
- The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

For more information about our products and services please contact us today:

Al Mulla Office Automation Solutions, Omar Ben Al-Khattab St, Sharq, Kuwait City  
Phone: (+965) 1880088 • Fax: (+965) 2245 3977 • Email: oas@almullagroup.com